



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site:	Newark, OH 43055	Collected:	3/31/2009	
<u>Test</u>		<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		34.7	36.1	%
ENP		1135 lb/Tn	1353	lbs/ton
Magnesium3		1.66	2.35	%
Moisture3			35.71	%
Total Neutralizing Power		97.9	105.2	%

Site:	Andreanos D & J, Inc.	Thompson, OH 44086	Collected:	5/7/2009	
<u>Test</u>			<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve				11	%
#20 US Sieve				42	%
#60 US Sieve				15	%
#8 US Sieve				72	%
Calcium3		32		36.3	%
ENP		1200 Lb/Tn		556	lbs/ton
Magnesium3		6		8.11	%
Moisture3				29.60	%
Total Neutralizing Power		100		106.1	%

Site:	Arch Materials	Batavia, OH 45103	Collected:	9/10/2009	
<u>Test</u>			<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve				36	%
#20 US Sieve				69	%
#60 US Sieve				40	%
#8 US Sieve				100	%
Calcium3		32		30.4	%
ENP		1000 lb/Tn		1302	lbs/ton
Magnesium3		1		2.50	%
Moisture3				2.81	%
Total Neutralizing Power		80		105.3	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Bluffton Stone Co.	Bluffton, OH 45817	Collected: 4/17/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		58 %
#20 US Sieve		92 %
#60 US Sieve		81 %
#8 US Sieve		99 %
Calcium3	20	21.8 %
ENP	1482 LB/Tn	1830 lb/ton
Magnesium3	12	12.3 %
Moisture3		3.31 %
Total Neutralizing Power	96	106.3 %

Site: C.F. Poeppelman, Inc.	Bradford, OH 45308	Collected: 4/16/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		70 %
#20 US Sieve		96 %
#60 US Sieve		81 %
#8 US Sieve		100 %
Calcium3	20	23.1 %
ENP	1400 Lb/Tn	1784 lb/ton
Magnesium3	11	12.7 %
Moisture3		6.36 %
Total Neutralizing Power	100	104.9 %

Site: Carmeuse Lime	Millersville, OH 43435	Collected: 4/27/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		45 %
#20 US Sieve		81 %
#60 US Sieve		71 %
#8 US Sieve		98 %
Calcium3	22	22.0 %
ENP	1500 Lb/Tn	1686 lb/ton
Magnesium3	13	12.9 %
Moisture3		5.03 %
Total Neutralizing Power	106.9	110.4 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: City of Fremont WTP Fremont, OH 43420

Collected: 5/20/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		28.1	%
ENP		471	lb/ton
Magnesium3		4.81	%
Moisture3		75.07	%
Total Neutralizing Power		94.4	%

Site: City of Troy Troy, OH 45373

Collected: 7/20/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		32.5	%
ENP	300 lb/tn	842	
Magnesium3		2.09	%
Moisture3		55.62	%
Total Neutralizing Power	90	94.9	%

Site: City Stone, LLC Youngstown, OH 44512

Collected: 4/9/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		76	%
#20 US Sieve		86	%
#60 US Sieve		82	%
#8 US Sieve		96	%
Calcium3	20.6	23.7	%
ENP	1763 lb/Tn	1802	lbs/ton
Magnesium3	12.57	13.1	%
Moisture3		9.78	%
Total Neutralizing Power	114.4	115.6	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Con-Ag Inc.	St. Marys, OH 44885	Collected: 4/8/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		77 %
#20 US Sieve		98 %
#60 US Sieve		92 %
#8 US Sieve		100 %
Calcium3	20	23.8 %
ENP	1450 Lb/TN	1756 lbs/ton
Magnesium3	12	13.0 %
Moisture3		13.72 %
Total Neutralizing Power	100	106.0 %

Site: Cox Paving-Lynchburg Pla	Lynchburg, OH 45142	Collected: 5/4/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		93 %
#20 US Sieve		98 %
#60 US Sieve		97 %
#8 US Sieve		100 %
Calcium3	23	29.0 %
ENP	1300 Lb/Tn	1342 lbs/ton
Magnesium3	1	2.67 %
Moisture3		11.29 %
Total Neutralizing Power	65	77.2 %

Site: Cumberland Limestone	Cumberland, Oh 43732	Collected: 4/16/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		21 %
#20 US Sieve		54 %
#60 US Sieve		27 %
#8 US Sieve		95 %
Calcium3	18.81%	19.6 %
ENP		736 lb/ton
Magnesium3	5.38%	5.62 %
Moisture3		8.71 %
Total Neutralizing Power		78.4 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Custar Stone Co. Custar, OH 43511

Collected: 4/22/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		84	%
#60 US Sieve		51	%
#8 US Sieve		99	%
Calcium3	18.92	24.5	%
ENP	1293.6 lb/Tn	1456	lb/ton
Magnesium3	10.93	12.1	%
Moisture3		7.26	%
Total Neutralizing Power	102.8	106.4	%

Site: Erie Materials, Inc., Sandu Sandusky, OH 44870

Collected: 4/22/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		95	%
#20 US Sieve		100	%
#60 US Sieve		96	%
#8 US Sieve		100	%
Calcium3	28	29.6	%
ENP	1750 Lb/Tn	1760	lb/ton
Magnesium3	5	6.96	%
Moisture3		12.94	%
Total Neutralizing Power	94	102.7	%

Site: Graymont Do-Lime Inc. Genoa, OH 43430

Collected: 4/16/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		90	%
#20 US Sieve		99	%
#60 US Sieve		94	%
#8 US Sieve		100	%
Calcium3	30	33.3	%
ENP	2445 Lb/Tn	3008	lb/ton
Magnesium3	16	19.0	%
Moisture3		.67	%
Total Neutralizing Power	140	155.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Grow Mark, Inc.

E. Liverpool, OH 43920

Collected: 5/6/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	30	30.3	%
ENP	1860 lb/Tn	2005	lbs/ton
Magnesium3	4	5.61	%
Moisture3		.62	%
Total Neutralizing Power	95	100.9	%

Site: Hansin Aggregates

Winchester, OH 45697

Collected: 4/7/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		29	%
#20 US Sieve		66	%
#60 US Sieve		44	%
#8 US Sieve		91	%
Calcium3	31	32.2	%
ENP	1085 Lb/Tn	1217	lb/ton
Magnesium3	1	1.50	%
Moisture3		1.56	%
Total Neutralizing Power	85	99.4	%

Site: Hanson Aggregates

Hillsboro, OH 45133

Collected: 4/15/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		38	%
#20 US Sieve		69	%
#60 US Sieve		51	%
#8 US Sieve		91	%
Calcium3	31	36.0	%
ENP	1100 Lb/TN	1317	lb/ton
Magnesium3	1	1.33	%
Moisture3		.91	%
Total Neutralizing Power	85	100.4	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Hanson Aggregates Peebles, OH 45660

Collected: 4/17/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		72	%
#60 US Sieve		48	%
#8 US Sieve		96	%
Calcium3	20	25.8	%
ENP	1450 lb/Tn	1248	lb/ton
Magnesium3	12	12.6	%
Moisture3		8.64	%
Total Neutralizing Power	100	101.6	%

Site: Hanson Aggregates Peebles, OH 45660

Collected: 4/17/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21	25.6	%
ENP	2000 lb/Tn	2008	lb/ton
Magnesium3	12	10.4	%
Moisture3		0	%
Total Neutralizing Power	100	100.4	%

Site: Hanson Aggregates Paulding, OH 45879

Collected: 4/20/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		24	%
#20 US Sieve		59	%
#60 US Sieve		41	%
#8 US Sieve		88	%
Calcium3	18	27.2	%
ENP	775.2 Lb.Tn	880	lb/ton
Magnesium3	6	8.24	%
Moisture3		13.41	%
Total Neutralizing Power	85	88.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Hanson Aggregates	Flatrock, OH 44828	Collected: 4/27/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		28 %
#20 US Sieve		64 %
#60 US Sieve		37 %
#8 US Sieve		97 %
Calcium3	26	26.6 %
ENP	1250 lb/TN	1215 lb/ton
Magnesium3	8	9.58 %
Moisture3		7.31 %
Total Neutralizing Power	98	109.6 %

Site: Hanson Aggregates	Sylvania, OH 43560	Collected: 4/8/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		40 %
#20 US Sieve		64 %
#60 US Sieve		52 %
#8 US Sieve		91 %
Calcium3	23	22.5 %
ENP	1113 Lb/Tn	1142 lb/ton
Magnesium3	10	11.5 %
Moisture3		8.04 %
Total Neutralizing Power	93	96.1 %

Site: Hanson Aggregates	Bloomville, OH 44818	Collected: 4/21/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		41 %
#20 US Sieve		72 %
#60 US Sieve		56 %
#8 US Sieve		98 %
Calcium3	26	29.9 %
ENP	1300 lb/Tn	1285 lb/ton
Magnesium3	7	6.80 %
Moisture3		10.83 %
Total Neutralizing Power	95	101.8 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Hanson Aggregates	Castalia, OH 44824	Collected: 4/22/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		31 %
#20 US Sieve		61 %
#60 US Sieve		38 %
#8 US Sieve		96 %
Calcium3	30	30.6 %
ENP	1200 lb/Tn	1129 lb/ton
Magnesium3	5	5.96 %
Moisture3		4.34 %
Total Neutralizing Power	95	100.4 %

Site: Hanson Aggregates	Sandusky, OH 44870	Collected: 4/22/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		44 %
#20 US Sieve		76 %
#60 US Sieve		56 %
#8 US Sieve		96 %
Calcium3	26	30.1 %
ENP	1300 Lb/Tn	1361 lb/ton
Magnesium3	7	6.67 %
Moisture3		9.04 %
Total Neutralizing Power	95	103.9 %

Site: Hanson Aggregates	Bloomville, OH 44818	Collected: 7/30/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		39 %
#20 US Sieve		70 %
#60 US Sieve		46 %
#8 US Sieve		91 %
Calcium3	26.5	24.3 %
ENP	1190 lb/Tn	1283 lbs/ton
Magnesium3	6	7.14 %
Moisture3		5.23 %
Total Neutralizing Power	99	104.8 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Hoopes Fertilizer	E. Rochester, OH 44625	Collected: 5/6/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		0 %
#20 US Sieve		0 %
#60 US Sieve		0 %
#8 US Sieve		0 %
Calcium3	21	21.1 %
ENP	2050 lb/Tn	2153 lbs/ton
Magnesium3	12	12.5 %
Moisture3		.53 %
Total Neutralizing Power	105	108.2 %

Site: Huron Lime, Inc.	Huron, OH 44839	Collected: 4/27/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		95 %
#20 US Sieve		99 %
#60 US Sieve		97 %
#8 US Sieve		100 %
Calcium3	32	38.6 %
ENP	910 lb/tn	1045 lb/ton
Magnesium3	1	1.23 %
Moisture3		42.09 %
Total Neutralizing Power	84	91.7 %

Site: Marshall Quarry, Inc.	Hillsboro, OH 45133	Collected: 6/22/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		21 %
#20 US Sieve		67 %
#60 US Sieve		29 %
#8 US Sieve		98 %
Calcium3		20.1 %
ENP	1250 lb/Tn	1218 lb/ton
Magnesium3		11.6 %
Moisture3		2.62 %
Total Neutralizing Power	100	107.8 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Martin Marietta Magnesia Woodville, OH 43469

Collected: 4/16/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		46	%
#20 US Sieve		78	%
#60 US Sieve		58	%
#8 US Sieve		94	%
Calcium3	22	22.4	
ENP	1250 lb/Tn	1445	lb/ton
Magnesium3	13	12.6	
Moisture3		7.35	%
Total Neutralizing Power	105	106.5	%

Site: Melvin Stone Co. Wilmington, OH 45177

Collected: 4/7/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		83	%
#60 US Sieve		56	%
#8 US Sieve		98	%
Calcium3	21	23.3	%
ENP	1450 Lb/TN	1547	lbs/ton
Magnesium3	12	12.7	%
Moisture3		5.13	%
Total Neutralizing Power	103	108.4	%

Site: Melvin Stone Co. Greenfield, OH 45123

Collected: 4/7/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		46	%
#20 US Sieve		80	%
#60 US Sieve		60	%
#8 US Sieve		98	%
Calcium3	21	22.2	%
ENP	1650 lb/Tn	1446	lbs/ton
Magnesium3	11	12.2	%
Moisture3		11.45	%
Total Neutralizing Power	99	108.0	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: MSQ Aggregates, Inc. Tiffin, Oh 44883

Collected: 4/21/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		92	%
#60 US Sieve		61	%
#8 US Sieve		99	%
Calcium3	21	22.4	%
ENP	1675 LB/Tn	1656	lb/ton
Magnesium3	12	13.2	%
Moisture3		6.98	%
Total Neutralizing Power	107.7	109.9	%

Site: National Lime & Stone Co. Buckland, OH 45819

Collected: 4/8/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		32	%
#20 US Sieve		70	%
#60 US Sieve		46	%
#8 US Sieve		97	%
Calcium3	20	23.6	%
ENP	1055 Lb/TN	1187	lbs/ton
Magnesium3	11	12.7	%
Moisture3		11.93	%
Total Neutralizing Power	98	102.4	%

Site: National Lime & Stone Co. Buckland, OH 45819

Collected: 4/8/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		36	%
#20 US Sieve		71	%
#60 US Sieve		43	%
#8 US Sieve		94	%
Calcium3	20	23.0	%
ENP	1055 Lb/TN	1192	lbs/ton
Magnesium3	11	12.5	%
Moisture3		9.28	%
Total Neutralizing Power	98	102.0	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: National Lime & Stone Co. Marion, OH 43302

Collected: 4/14/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		81	%
#60 US Sieve		56	%
#8 US Sieve		100	%
Calcium3	24	24.1	%
ENP	1260 Lb/Tn	1344	lb/ton
Magnesium3	6	10.9	%
Moisture3		11.56	%
Total Neutralizing Power	95	101.6	%

Site: National Lime & Stone Co. Bucyrus, OH 44820

Collected: 4/14/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		60	%
#20 US Sieve		91	%
#60 US Sieve		72	%
#8 US Sieve		98	%
Calcium3	30	30.8	%
ENP	1355 lb/Tn	1638	lb/ton
Magnesium3	4	5.41	%
Moisture3		5.21	%
Total Neutralizing Power	97	101.9	%

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 4/28/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		96	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	21	21.2	%
ENP	2060 Lb/Tn	2140	lb/ton
Magnesium3	12	13.0	%
Moisture3		.36	%
Total Neutralizing Power	105	107.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 4/28/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	30	30.9	%
ENP	1885 Lb/TN	1985	lb/ton
Magnesium3	4	6.06	%
Moisture3		.46	%
Total Neutralizing Power	97	100.5	%

Site: National Lime & Stone Co. Delaware, Oh 43015

Collected: 4/28/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		61	%
#60 US Sieve		40	%
#8 US Sieve		86	%
Calcium3	21.6	26.5	%
ENP	803.77 lb/Tn	1199	lb/ton
Magnesium3	6.12	6.84	%
Moisture3		3.29	%
Total Neutralizing Power	104.4	107.6	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 5/4/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		61	%
#20 US Sieve		91	%
#60 US Sieve		69	%
#8 US Sieve		98	%
Calcium3	21	21.6	%
ENP	1465 Lb/Tn	1641	lbs/ton
Magnesium3	12	13.1	%
Moisture3		3.98	%
Total Neutralizing Power	105	102.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 5/4/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		0	%
#20 US Sieve		0	%
#60 US Sieve		0	%
#8 US Sieve		0	%
Calcium3	12	17.4	%
ENP	1200 Lb/Tn	1697	lbs/ton
Magnesium3	7	10.7	%
Moisture3		3.45	%
Total Neutralizing Power	60	87.9	%

Site: Ohio Asphaltic Limestone Hillsboro, OH 45133

Collected: 4/15/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		50	%
#20 US Sieve		74	%
#60 US Sieve		61	%
#8 US Sieve		97	%
Calcium3	20	20.6	%
ENP	1285 Lb/Tn	1323	lb/ton
Magnesium3	11	11.7	%
Moisture3		10.71	%
Total Neutralizing Power	100	100.9	%

Site: Piqua Mineral Piqua, OH 45356

Collected: 4/6/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		71	%
#20 US Sieve		97	%
#60 US Sieve		80	%
#8 US Sieve		100	%
Calcium3	34	36.9	%
ENP	1735 Lb/Tn	1978	lbs/ton
Magnesium3	4	4.15	%
Moisture3		0	%
Total Neutralizing Power	100	108.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: S & L Fertilizer Co. Toledo, OH 43605

Collected: 8/20/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		51	%
#20 US Sieve		67	%
#60 US Sieve		53	%
#8 US Sieve		85	%
Calcium3	28	28.1	%
ENP	1000 Lb/Tn	894	lbs/ton
Magnesium3	2	2.74	%
Moisture3		31.80	%
Total Neutralizing Power	80	100.8	%

Site: Shelly Materials, Inc. Kent, OH 44240

Collected: 4/6/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		66	%
#20 US Sieve		81	%
#60 US Sieve		69	%
#8 US Sieve		97	%
Calcium3	21	25.1	%
ENP	1400 Lb/TN	1516	lbs/ton
Magnesium3	12	13.0	%
Moisture3		11.52	%
Total Neutralizing Power	105	107.9	%

Site: Shelly Materials, Inc. East Fultonham, Oh 43735

Collected: 4/16/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		42	%
#20 US Sieve		76	%
#60 US Sieve		54	%
#8 US Sieve		98	%
Calcium3	28%	34.7	%
ENP	1200 lb/tn	1403	lb/ton
Magnesium3	3%	1.40	%
Moisture3		1.87	%
Total Neutralizing Power	90%	99.8	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Shelly Materials, Inc. Belle Center, OH 43310 **Collected:** 4/13/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		64	%
#60 US Sieve		46	%
#8 US Sieve		88	%
Calcium3	20	22.2	%
ENP	1100 Lb/Tn	1200	lb/ton
Magnesium3	10	12.7	%
Moisture3		7.55	%
Total Neutralizing Power	100	105.4	%

Site: Shelly Materials, Inc. Forest, OH 45843 **Collected:** 4/23/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		73	%
#60 US Sieve		43	%
#8 US Sieve		94	%
Calcium3	20	22.8	%
ENP	1190 Lb/Tn	1173	lb/ton
Magnesium3	11	13.1	%
Moisture3		10.43	%
Total Neutralizing Power	95	100.4	%

Site: Shelly Materials, Inc. Ostrander, Oh 43061 **Collected:** 4/28/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		48	%
#20 US Sieve		74	%
#60 US Sieve		66	%
#8 US Sieve		98	%
Calcium3	28	31.4	%
ENP	1300 Lb/Tn	1401	lb/ton
Magnesium3	3	6.08	%
Moisture3		3.66	%
Total Neutralizing Power	95	96.2	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Shelly Materials, Inc. West Mansfield, OH 43358 **Collected:** 4/27/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		74	%
#60 US Sieve		38	%
#8 US Sieve		93	%
Calcium3	20	20.9	%
ENP	1150 Lb/Tn	1198	lb/ton
Magnesium3	10	12.3	%
Moisture3		9.04	%
Total Neutralizing Power	98	103.9	%

Site: Sidney Plant (SE) Thompson, OH 44086 **Collected:** 8/17/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		56	%
#20 US Sieve		76	%
#60 US Sieve		64	%
#8 US Sieve		96	%
Calcium3	32.0	30.0	%
ENP	1200 Lb./Tn	1030	lbs/ton
Magnesium3	6.0	6.83	%
Moisture3		31.98	%
Total Neutralizing Power	100	100.7	%

Site: Stone Co. Convoy, OH 45832 **Collected:** 4/2/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		77	%
#20 US Sieve		84	%
#60 US Sieve		81	%
#8 US Sieve		96	%
Calcium3	19	24.1	%
ENP	1400 Lb/Tn	1645	lbs/ton
Magnesium3	11	13.1	%
Moisture3		9.67	%
Total Neutralizing Power	101	106.9	%



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Stone Co.	Celina, Oh 45822	Collected: 4/8/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		26 %
#20 US Sieve		64 %
#60 US Sieve		41 %
#8 US Sieve		87 %
Calcium3	20	24.60 %
ENP	1050 Lb/TN	1173 lbs/ton
Magnesium3	12	13.2 %
Moisture3		5.57 %
Total Neutralizing Power	103	104.6 %

Site: Stone Co.	Oakwood, OH 45873	Collected: 4/20/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		22 %
#20 US Sieve		61 %
#60 US Sieve		33 %
#8 US Sieve		88 %
Calcium3	28	29.0 %
ENP	970 Lb/Tn	1075 lb/ton
Magnesium3	7	8.69 %
Moisture3		6.94 %
Total Neutralizing Power	100	104.6 %

Site: Stone Co.	Perrysburg, OH 43551	Collected: 4/7/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		84 %
#20 US Sieve		92 %
#60 US Sieve		91 %
#8 US Sieve		96 %
Calcium3	21	22.8 %
ENP	1580 Lb/Tn	1711 lb/ton
Magnesium3	11	13.0 %
Moisture3		12.67 %
Total Neutralizing Power	101	106.0 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Stone Co.	Portage, OH 43451	Collected: 4/7/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		83 %
#20 US Sieve		92 %
#60 US Sieve		91 %
#8 US Sieve		96 %
Calcium3	19	23.5 %
ENP	1550 Lb/Tn	1719 lb/ton
Magnesium3	11	12.7 %
Moisture3		12.39 %
Total Neutralizing Power	102	106.2 %

Site: Stone Co.	Clay Center, OH 43408	Collected: 4/16/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		85 %
#20 US Sieve		94 %
#60 US Sieve		91 %
#8 US Sieve		98 %
Calcium3	20	21.1 %
ENP	1600 Lb/Tn	1872 lb/ton
Magnesium3	10	12.7 %
Moisture3		4.74 %
Total Neutralizing Power	102	105.0 %

Site: Stone Co.	Maumee, OH 43537	Collected: 4/23/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		83 %
#20 US Sieve		94 %
#60 US Sieve		90 %
#8 US Sieve		98 %
Calcium3	21	23.0 %
ENP	1550 Lb/TN	1715 lb/ton
Magnesium3	11	12.9 %
Moisture3		11.35 %
Total Neutralizing Power	101	103.8 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Stone Co.	Carey, OH 43316	Collected: 5/4/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		78 %
#20 US Sieve		95 %
#60 US Sieve		86 %
#8 US Sieve		100 %
Calcium3	21	22.0 %
ENP	1700 lb/Tn	1807 lbs/ton
Magnesium3	12	13.1 %
Moisture3		10.85 %
Total Neutralizing Power	105	109.7 %

Site: Stone Co.	Perrysburg, Oh 43551	Collected: 6/11/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		82 %
#20 US Sieve		93 %
#60 US Sieve		89 %
#8 US Sieve		98 %
Calcium3	21%	29.1 %
ENP	1580 lb/T	1190 lbs/ton
Magnesium3	11%	3.41 %
Moisture3		34.93 %
Total Neutralizing Power	101%	99.0 %

Site: The Andersons	Carey, OH 43317	Collected: 4/28/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		0 %
#20 US Sieve		0 %
#60 US Sieve		0 %
#8 US Sieve		0 %
Calcium3	20	21.0 %
ENP	1900 lb/TN	2006 lb/ton
Magnesium3	12	12.6 %
Moisture3		.31 %
Total Neutralizing Power	97	100.6 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: The Andersons	Carey, OH 43316	Collected: 4/28/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		0 %
#20 US Sieve		0 %
#60 US Sieve		0 %
#8 US Sieve		0 %
Calcium3	30	30.3 %
ENP	1860 Lb/Tn	1964 lb/ton
Magnesium3	4	5.73 %
Moisture3		1.91 %
Total Neutralizing Power	93	100.1 %

Site: Tyler Grain & Fertilizer	Smithville, OH 44677	Collected: 4/16/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		31 %
#20 US Sieve		66 %
#60 US Sieve		42 %
#8 US Sieve		97 %
Calcium3	30	30.0 %
ENP	1200 lb/Tn	1215 lb/ton
Magnesium3	5	5.71 %
Moisture3		6.50 %
Total Neutralizing Power	95	103.8 %

Site: Tyler Grain & Fertilizer	Smithville, Oh 44677	Collected: 4/16/2009
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		0 %
#20 US Sieve		0 %
#60 US Sieve		0 %
#8 US Sieve		0 %
Calcium3	30	29.1 %
ENP	1860 lb/Tn	1984 lb/ton
Magnesium3	4	5.96 %
Moisture3		.68 %
Total Neutralizing Power	93	99.9 %



Consumer Analytical Laboratory

Ohio Department of Agriculture
Consumer Analytical Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2009 - 12/31/2009

Site: Wyandot Dolomite, Inc.

Carey, OH 43316

Collected: 5/4/2009

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		48	%
#20 US Sieve		76	%
#60 US Sieve		54	%
#8 US Sieve		96	%
Calcium3	21	22.1	%
ENP	1625 Lb/Tn	1293	lbs/ton
Magnesium3	12	13.2	%
Moisture3		12.18	%
Total Neutralizing Power	105	103.4	%
