



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Arch Materials

Batavia, OH 45103

Collected: 4/24/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		33	%
#20 US Sieve		67	%
#60 US Sieve		41	%
#8 US Sieve		84	%
Calcium3	30%	35.2	%
ENP	1250 lb/ton	1173	lb/ton
Magnesium3	2%	1.41	%
Moisture3		3.18	%
Total Neutralizing Power	105%	101.0	%

Site: Area Aggregates

Woodville, Ohio 43469

Collected: 4/1/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve	97	98	%
#20 US Sieve	100	100	%
#60 US Sieve	100	100	%
#8 US Sieve	100	100	%
Calcium3	19%	20.0	%
ENP	2088 lb/ton	2321	lb/ton
Magnesium3	11%	12.3	%
Moisture3		4.80	%
Total Neutralizing Power	113%	121.9	%

Site: Area Aggregates

Woodville, Ohio 43469

Collected: 4/1/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve	37	40	%
#20 US Sieve	60	56	%
#60 US Sieve	43	48	%
#8 US Sieve	86	84	%
Calcium3	20%	20.0	%
ENP	1251 lb/ton	1317	lb/ton
Magnesium3	11%	12.3	%
Moisture3		4.20	%
Total Neutralizing Power	113.9%	117.7	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Bluffton Stone Co.

Bluffton, OH 45817

Collected: 5/6/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		76	%
#20 US Sieve		96	%
#60 US Sieve		88	%
#8 US Sieve		99	%
Calcium3	20.71%	20.7	%
ENP	1835 lb/ton	2000	lb/ton
Magnesium3	11.65%	12.8	%
Moisture3		2.29	%
Total Neutralizing Power	110.06%	109.6	%

Site: C.F. Poeppelman, Inc.

Bradford, OH 45308

Collected: 5/23/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		60	%
#20 US Sieve		98	%
#60 US Sieve		73	%
#8 US Sieve		100	%
Calcium3	20%	21.0	%
ENP	1400 lb/ton	1379	lb/ton
Magnesium3	10%	11.6	%
Moisture3		24.64	%
Total Neutralizing Power	100%	103.5	%

Site: Carmeuse Lime

Millersville, Ohio 43435

Collected: 4/15/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		82	%
#60 US Sieve		66	%
#8 US Sieve		99	%
Calcium3	22%	20.90	%
ENP	1636 lb/ton	1582	lb/ton
Magnesium3	12.9%	12.90	%
Moisture3		7.14	%
Total Neutralizing Power	110.4%	107.8	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: City of Findlay WTP Findlay, Ohio 45840

Collected: 6/6/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	29.4%	30.3	%
ENP	177 lb/ton	273	lb/ton
Magnesium3	2.8%	2.71	%
Moisture3		85.90	%
Total Neutralizing Power	93%	96.7	%

Site: City of Fostoria Water Plan Fostoria, Ohio 44830

Collected: 6/6/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	31%	31.9	%
ENP	954 lb/ton	1006	lb/ton
Magnesium3	4.8%	4.24	%
Moisture3		54.23	%
Total Neutralizing Power	106%	109.9	%

Site: Con-Ag Inc. St. Marys, OH 45885

Collected: 5/7/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		78	%
#20 US Sieve		99	%
#60 US Sieve		94	%
#8 US Sieve		100	%
Calcium3	20%	21.4	%
ENP	1750 lb/ton	1803	lb/ton
Magnesium3	12%	13.4	%
Moisture3		14.06	%
Total Neutralizing Power	100%	107.9	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Cumberland Limestone	Cumberland, Ohio 43732	Collected: 5/8/2013
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		47 %
#20 US Sieve		70 %
#60 US Sieve		52 %
#8 US Sieve		95 %
Calcium3	18.80%	17.4 %
ENP	1173 lb/ton	1037 lb/ton
Magnesium3	3%	3.90 %
Moisture3		6.47 %
Total Neutralizing Power	100%	81.8 %

Site: Erie Materials	Sandusky, Ohio 44870	Collected: 4/8/2013
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		82 %
#20 US Sieve		100 %
#60 US Sieve		97 %
#8 US Sieve		100 %
Calcium3	28%	26.7 %
ENP	1750 lb/ton	1801 lb/ton
Magnesium3	5%	6.86 %
Moisture3		13.43 %
Total Neutralizing Power	94%	105.3 %

Site: Fremont Water Departmen	Fremont, Ohio 43420	Collected: 5/28/2013
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
Calcium3	22.3%	25.0 %
ENP	790 lb/ton	306 lb/ton
Magnesium3	2.7%	3.15 %
Moisture3		87.35 %
Total Neutralizing Power	116.5%	120.9 %



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Gerken Materials

West Milgrove, Ohio

Collected: 4/22/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		86	%
#20 US Sieve		96	%
#60 US Sieve		90	%
#8 US Sieve		98	%
Calcium3	21%	20.8	%
ENP	1900 lb/ton	1817	lb/ton
Magnesium3	12%	13.0	%
Moisture3		11.42	%
Total Neutralizing Power	105%	109.1	%

Site: Graymont Dolime

Genoa, Ohio 43430

Collected: 4/1/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve	67	82	%
#20 US Sieve	99	100	%
#60 US Sieve	76	94	%
#8 US Sieve	100	100	%
Calcium3	30%	33.9	%
ENP	2445 lb/ton	3999	lb/ton
Magnesium3	16%	19.5	%
Moisture3		0.93	%
Total Neutralizing Power	140%	206.8	%

Site: Grow Mark, Inc.

East Liverpool, Ohio 43920

Collected: 4/17/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30%	28.27	%
ENP	1860 lb/ton	2210	lb/ton
Magnesium3	4%	6.00	%
Moisture3		1.53	%
Total Neutralizing Power	95%	112.2	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Hanson Aggregates Sylvania, Ohio 43560

Collected: 4/15/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve	95	92	%
#20 US Sieve	100	96	%
#60 US Sieve	99	95	%
#8 US Sieve	100	98	%
Calcium3	21%	21.2	%
ENP	1826 lb/ton	1692	lb/ton
Magnesium3	10%	10.6	%
Moisture3		13.93	%
Total Neutralizing Power	92%	102.4	%

Site: Hanson Aggregates Peebles, OH 45660

Collected: 4/22/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		47	%
#20 US Sieve		76	%
#60 US Sieve		56	%
#8 US Sieve		97	%
Calcium3	20%	20.1	%
ENP	1450 lb/T	1451	lb/ton
Magnesium3	12%	12.3	%
Moisture3	Check	4.83	%
Total Neutralizing Power	100%	105.6	%

Site: Hanson Aggregates Peebles, OH 45660

Collected: 4/22/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		92	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21%	21.3	%
ENP	2000 lb/T	2053	lb/ton
Magnesium3	12%	12.7	%
Moisture3	check	0.35	%
Total Neutralizing Power	100%	103.0	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Hanson Aggregates Paulding, Ohio 45879

Collected: 5/9/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		26	%
#20 US Sieve		57	%
#60 US Sieve		39	%
#8 US Sieve		78	%
Calcium3	18%	28.4	%
ENP	775.2 lb/ton	904	lb/ton
Magnesium3	6%	6.18	%
Moisture3		10.76	%
Total Neutralizing Power	85%	93.8	%

Site: Hanson Aggregates - Park Castalia, Ohio 44824

Collected: 4/8/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		37	%
#20 US Sieve		68	%
#60 US Sieve		46	%
#8 US Sieve		98	%
Calcium3	27%	25.2	%
ENP	1150 lb/ton	1263	lb/ton
Magnesium3	6%	8.55	%
Moisture3		8.01	%
Total Neutralizing Power	95%	105.3	%

Site: Hanson Aggregates Eagle Winchester, OH 45697

Collected: 4/22/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		34	%
#20 US Sieve		66	%
#60 US Sieve		49	%
#8 US Sieve		89	%
Calcium3	31%	27.00	%
ENP	1085 lb/T	1380	lb/ton
Magnesium3	1%	1.52	%
Moisture3	Check	3.08	%
Total Neutralizing Power	85%	111.6	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Hanson Aggregates Midwe Bloomville, Ohio 44818

Collected: 4/10/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		68	%
#60 US Sieve		43	%
#8 US Sieve		90	%
Calcium3	26%	27.6	%
ENP	1190 lb/ton	1263	lb/ton
Magnesium3	6%	6.71	%
Moisture3		4.33	%
Total Neutralizing Power	99%	105.8	%

Site: Hoopes Fertilizer Works In East Rochester, Ohio 44625

Collected: 3/27/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	21%	20.2	%
ENP	2050 lb/ton	2365	lb/ton
Magnesium3	12%	12.0	%
Moisture3		2.43	%
Total Neutralizing Power	105%	121.2	%

Site: Huron Lime, Inc. Huron, Ohio 44839

Collected: 4/8/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		92	%
#20 US Sieve		99	%
#60 US Sieve		95	%
#8 US Sieve		100	%
Calcium3	34%	29.37	%
ENP	1004 lb/ton	1111	lb/ton
Magnesium3	1%	0.89	%
Moisture3		40.66	%
Total Neutralizing Power	94%	95.9	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Martin Marietta	Woodville, Ohio 43469	Collected: 4/1/2013
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve	40	46 %
#20 US Sieve	70	81 %
#60 US Sieve	50	61 %
#8 US Sieve	90	84 %
Calcium3	22%	20.1 %
ENP	1250 lb/ton	1597 lb/ton
Magnesium3	13%	12.3 %
Moisture3		11.63 %
Total Neutralizing Power	105%	122.8 %

Site: Melvin Stone Co.	Wilmington, OH 45177	Collected: 4/23/2013
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		45 %
#20 US Sieve		84 %
#60 US Sieve		52 %
#8 US Sieve		98 %
Calcium3	21%	20.8 %
ENP	1450 lb/T	1492 lb/ton
Magnesium3	12%	12.5 %
Moisture3	Check	4.10 %
Total Neutralizing Power	103%	105.1 %

Site: MGQ, Inc.	Old Fort, Ohio 44861	Collected: 4/15/2013
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		29 %
#20 US Sieve		86 %
#60 US Sieve		42 %
#8 US Sieve		100 %
Calcium3	21%	20.9 %
ENP	1454 lb/ton	1391 lb/ton
Magnesium3	12%	13.0 %
Moisture3		10.66 %
Total Neutralizing Power	109.9%	109.3 %



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Mineral Processing	Carey, Ohio 43316		Collected: 4/9/2013
	<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
	Calcium3	21%	24.0 %
	Magnesium3	16%	2.94 %
	Moisture3		10.57 %

Site: Mineral Processing	Carey, Ohio 43316		Collected: 4/9/2013
	<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
	Calcium3	30%	27.3 %
	ENP	1860 lb/ton	1946 lb/ton
	Magnesium3	4%	6.46 %
	Moisture3		0.90 %
	Total Neutralizing Power	93%	98.2 %

Site: Mineral Processing	Carey, Ohio 43316		Collected: 4/9/2013
	<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
	Calcium3	20%	20.8 %
	ENP	1900 lb/ton	1935 lb/ton
	Magnesium3	12%	12.2 %
	Moisture3		1.16 %
	Total Neutralizing Power	97%	97.9 %

Site: National Lime & Stone Co.	Delaware, OH 43015		Collected: 3/20/2013
	<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
	#100 US Sieve		44 %
	#20 US Sieve		70 %
	#60 US Sieve		50 %
	#8 US Sieve		91 %
	Calcium3	27.09%	26.1 %
	ENP	1680 lb/ton	1387 lb/ton
	Magnesium3	7.51%	6.37 %
	Moisture3		9.87 %
	Total Neutralizing Power	111.1%	116.2 %



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: National Lime & Stone Co. Carey, Ohio 43316

Collected: 4/9/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		54	%
#20 US Sieve		86	%
#60 US Sieve		67	%
#8 US Sieve		96	%
Calcium3	21%	21.8	%
ENP	1465 lb/ton	1677	lb/ton
Magnesium3	12%	12.9	%
Moisture3		3.14	%
Total Neutralizing Power	105%	107.7	%

Site: National Lime & Stone Co. Carey, Ohio 43316

Collected: 4/9/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	12%	16.9	%
ENP	1200 lb/ton	1395	lb/ton
Magnesium3	7%	9.76	%
Moisture3		5.37	%
Total Neutralizing Power	60%	73.7	%

Site: National Lime & Stone Co. Upper Sandusky, Ohio 43351

Collected: 4/9/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		92	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	21%	21.0	%
ENP	2060 lb/ton	2074	lb/ton
Magnesium3	12%	12.8	%
Moisture3		0.0	%
Total Neutralizing Power	105%	104.1	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: National Lime & Stone Co. Marion, Ohio 43302

Collected: 4/15/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		82	%
#60 US Sieve		54	%
#8 US Sieve		100	%
Calcium3	24%	24.7	%
ENP	1260 lb/ton	1333	lb/ton
Magnesium3	6%	8.14	%
Moisture3		5.00	%
Total Neutralizing Power	95%	94.3	%

Site: National Lime & Stone Co. Bucyrus, Ohio 44820

Collected: 4/15/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		58	%
#20 US Sieve		87	%
#60 US Sieve		64	%
#8 US Sieve		97	%
Calcium3	30%	26.2	%
ENP	1355 lb/ton	1491	lb/ton
Magnesium3	4%	7.44	%
Moisture3		6.01	%
Total Neutralizing Power	97%	99.4	%

Site: National Lime & Stone Co. Lima, OH 45802

Collected: 5/6/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		64	%
#20 US Sieve		94	%
#60 US Sieve		70	%
#8 US Sieve		99	%
Calcium3	20%	19.3	%
ENP	1735 lb/ton	1774	lb/ton
Magnesium3	10%	11.7	%
Moisture3		7.36	%
Total Neutralizing Power	111.8%	112.1	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Ohigro

Delaware, OHIO 43015

Collected: 3/19/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30%	27.7	%
ENP	1850 lb/ton	2225	lb/ton
Magnesium3	4%	5.56	%
Moisture3		2.42	%
Total Neutralizing Power	93%	114.0	%

Site: Ohio Asphaltic Limestone

Hillsboro, OH 45133

Collected: 4/23/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		50	%
#20 US Sieve		79	%
#60 US Sieve		55	%
#8 US Sieve		96	%
Calcium3	20%	18.5	%
ENP	1509 lb/T	1461	lb/ton
Magnesium3	11%	11.1	%
Moisture3	Check	11.80	%
Total Neutralizing Power	100%	113.8	%

Site: Piqua Mineral

Piqua, OH 45356

Collected: 5/23/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		51	%
#20 US Sieve		92	%
#60 US Sieve		61	%
#8 US Sieve		98	%
Calcium3	34%	32.4	%
ENP	1473 lb/ton	1630	lb/ton
Magnesium3	3%	3.83	%
Moisture3		0.43	%
Total Neutralizing Power	97%	101.3	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Piqua Mineral

Piqua, OH 45356

Collected: 5/23/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		66	%
#20 US Sieve		98	%
#60 US Sieve		76	%
#8 US Sieve		100	%
Calcium3	34%	33.5	%
ENP	1735 lb/ton	1812	lb/ton
Magnesium3	4%	3.55	%
Moisture3		0.00	%
Total Neutralizing Power	100%	101.1	%

Site: Ridge Township Quarry

Van Wert, OH 45891

Collected: 5/7/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		63	%
#60 US Sieve		38	%
#8 US Sieve		99	%
Calcium3	21%	20.3	%
ENP	1124 lb/ton	1221	lb/ton
Magnesium3	12%	12.1	%
Moisture3		3.23	%
Total Neutralizing Power	101%	104.8	%

Site: Shelly Materials, Inc.

Hilliard, Ohio 43026

Collected: 2/26/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve	3790	63	%
#20 US Sieve	8090	85	%
#60 US Sieve	5590	74	%
#8 US Sieve	9690	94	%
Calcium3	21%	21.5	%
ENP	1182 lb/ton	1462	lb/ton
Magnesium3	8%	7.88	%
Moisture3		13.59	%
Total Neutralizing Power	80%	102.7	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Shelly Materials, Inc.

Ostrander, OH 43061

Collected: 5/2/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		41	%
#20 US Sieve		80	%
#60 US Sieve		62	%
#8 US Sieve		97	%
Calcium3	28%	29.5	%
ENP	1300 lb/ton	1560	lb/ton
Magnesium3	3%	5.36	%
Moisture3		3.36	%
Total Neutralizing Power	95%	105.9	%

Site: Shelly Materials, Inc.

West Mansfield, OH 43358

Collected: 5/2/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		30	%
#20 US Sieve		73	%
#60 US Sieve		38	%
#8 US Sieve		92	%
Calcium3	20%	20.2	%
ENP	1150 lb/ton	1324	lb/ton
Magnesium3	10%	12.2	%
Moisture3		3.32	%
Total Neutralizing Power	98%	109.0	%

Site: Shelly Materials, Inc.

Forest, OH 45843

Collected: 5/6/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		27	%
#20 US Sieve		56	%
#60 US Sieve		37	%
#8 US Sieve		92	%
Calcium3	21%	20.6	%
ENP	1100 lb/ton	1109	lb/ton
Magnesium3	10%	12.5	%
Moisture3		6.12	%
Total Neutralizing Power	100.0%	106.2	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Stone Co.

Carey, Ohio 43316

Collected: 4/9/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		74	%
#20 US Sieve		84	%
#60 US Sieve		81	%
#8 US Sieve		98	%
Calcium3	21%	21.1	%
ENP	1400 lb/ton	1603	lb/ton
Magnesium3	12%	12.9	%
Moisture3		10.55	%
Total Neutralizing Power	105%	104.7	%

Site: Stone Co.

Maumee, Ohio 43537

Collected: 5/21/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		78	%
#20 US Sieve		91	%
#60 US Sieve		87	%
#8 US Sieve		98	%
Calcium3	21%	21.5	%
ENP	1550lb/ton	1693	lb/ton
Magnesium3	11%	13.1	%
Moisture3		9.76	%
Total Neutralizing Power	101%	103.3	%

Site: Stone Co.

Portage, Ohio 43451

Collected: 5/21/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		82	%
#20 US Sieve		92	%
#60 US Sieve		88	%
#8 US Sieve		97	%
Calcium3	19%	21.6	%
ENP	1550 lb/ton	1672	lb/ton
Magnesium3	11%	13.3	%
Moisture3		11.99	%
Total Neutralizing Power	102%	103.9	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Stone Co.

Oakwood, Ohio 45875

Collected: 5/9/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		15	%
#20 US Sieve		57	%
#60 US Sieve		33	%
#8 US Sieve		83	%
Calcium3	28%	28.1	%
ENP	970 lb/ton	1037	lb/ton
Magnesium3	7%	8.09	%
Moisture3		1.83	%
Total Neutralizing Power	100%	100.4	%

Site: Stone Co.

Celina, OH 45822

Collected: 5/23/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		31	%
#20 US Sieve		71	%
#60 US Sieve		37	%
#8 US Sieve		99	%
Calcium3	20%	21.7	%
ENP	1050 lb/ton	1290	lb/ton
Magnesium3	12%	13.6	%
Moisture3		4.79	%
Total Neutralizing Power	103%	107.5	%

Site: Stoneco, Inc.

Convoy, Ohio 45832

Collected: 5/7/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		73	%
#20 US Sieve		86	%
#60 US Sieve		81	%
#8 US Sieve		97	%
Calcium3	19%	21.1	%
ENP	1400 lb/ton	1664	lb/ton
Magnesium3	11%	12.7	%
Moisture3		11.71	%
Total Neutralizing Power	101%	109.3	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2013 - 8/6/2013

Site: Tyler Grain & Fertilizer Smithville, OH 44677

Collected: 4/2/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	30%	25.0	%
ENP	1850 lb/ton	2047	lb/ton
Magnesium3	4%	6.55	%
Moisture3		1.79	%
Total Neutralizing Power	93%	104.2	%

Site: White Rock Quarry LP Clay Center, Ohio 43408

Collected: 4/1/2013

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve	80	82	%
#20 US Sieve	90	96	%
#60 US Sieve	85	91	%
#8 US Sieve	95	99	%
Calcium3	20%	19.2	%
ENP	1600 lb/ton	2008	lb/ton
Magnesium3	10%	11.5	%
Moisture3		8.84	%
Total Neutralizing Power	102%	116.4	%