



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Andersons Mineral Proces Carey, OH 43316

Collected: 4/14/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		N/A	%
#20 US Sieve		N/A	%
#60 US Sieve		N/A	%
#8 US Sieve		N/A	%
Calcium3	30%	28.4	%
ENP	1860 lb/ton	1958	lb/ton
Magnesium3	4%	7.00	%
Moisture3		0.00	%
Total Neutralizing Power	93%	97.9	%

Site: Arch Materials Botavia, OH 45103

Collected: 4/28/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		70	%
#60 US Sieve		52	%
#8 US Sieve		91	%
Calcium3	30%	32.8	%
ENP		1283	lb/ton
Magnesium3	2%	1.55	%
Moisture3		1.93	%
Total Neutralizing Power	1250 lb/ton	97.6	%

Site: Area Aggregates Woodville, OH 43469

Collected: 4/16/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		99	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	20%	19.6	%
ENP	2321 lb/ton	1966	lb/ton
Magnesium3	12.3%	12.0	%
Moisture3		12.00	%
Total Neutralizing Power	121.9%	111.7	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Bluffton Stone Co. Bluffton, OH 45817

Collected: 4/30/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		74	%
#20 US Sieve		92	%
#60 US Sieve		80	%
#8 US Sieve		100	%
Calcium3	19.9%	21.7	%
ENP	1558 lb/ton	1785	lb/ton
Magnesium3	11.9%	13.4	%
Moisture3		2.59	%
Total Neutralizing Power	96.9%	103.2	%

Site: C.F. Poeppelman, Inc. Bradford, OH 45308

Collected: 5/5/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		62	%
#20 US Sieve		99	%
#60 US Sieve		81	%
#8 US Sieve		100	%
Calcium3	20%	20.3	%
ENP	1400 lb/ton	1724	lb/ton
Magnesium3	11%	11.5	%
Moisture3		9.83	%
Total Neutralizing Power	100%	103.9	%

Site: Carmeuse Lime Millersville, OH 43435

Collected: 4/16/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		50	%
#20 US Sieve		84	%
#60 US Sieve		64	%
#8 US Sieve		100	%
Calcium3	22%	22.3	%
ENP	1636 lb/ton	1634	lb/ton
Magnesium3	13%	13.9	%
Moisture3		5.97	%
Total Neutralizing Power	110.4%	109.7	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: City of Findlay Water Plant Findlay, OH 45840

Collected: 6/16/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3	32.8%	31.7	%
ENP	82 lb/ton	214	lb/ton
Magnesium3	3.51%	2.62	%
Moisture3		89.47	%
Total Neutralizing Power	97.7%	101.8	%

Site: Con-Ag Inc. St. Marys, OH 45885

Collected: 4/30/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		78	%
#20 US Sieve		98	%
#60 US Sieve		89	%
#8 US Sieve		100	%
Calcium3	20%	22.3	%
ENP	1590 lb/ton	1793	lb/ton
Magnesium3	12%	13.9	%
Moisture3		10.64	%
Total Neutralizing Power	100%	105.8	%

Site: Erie Materials Sandusky, OH 44870

Collected: 4/15/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		89	%
#20 US Sieve		100	%
#60 US Sieve		99	%
#8 US Sieve		100	%
Calcium3	28%	25.6	%
ENP	1750 lb/ton	1765	lb/ton
Magnesium3	5%	6.49	%
Moisture3		13.23	%
Total Neutralizing Power	94%	102.1	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Gerken Materials	West Milgrove, OH 43487	Collected: 7/21/2015
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		85 %
#20 US Sieve		94 %
#60 US Sieve		91 %
#8 US Sieve		97 %
Calcium3	21%	20.2 %
ENP	1644 lb/ton	1757 lb/ton
Magnesium3	12%	12.0 %
Moisture3		11.95 %
Total Neutralizing Power	102%	106.8 %

Site: Graymont Dolime	Genoa, OH 43430	Collected: 4/21/2015
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		75 %
#20 US Sieve		100 %
#60 US Sieve		85 %
#8 US Sieve		100 %
Calcium3	30%	29.8 %
ENP	2445 lb/ton	2718 lb/ton
Magnesium3	16%	18.2 %
Moisture3		0.00 %
Total Neutralizing Power	140%	144.6 %

Site: Hanson Aggregates	Peebles, OH 45660	Collected: 4/22/2015
<u>Test</u>	<u>Claim</u>	<u>Result</u> <u>Units</u>
#100 US Sieve		93 %
#20 US Sieve		100 %
#60 US Sieve		100 %
#8 US Sieve		100 %
Calcium3	21%	20.9 %
ENP	2000 lb/ton	2102 lb/ton
Magnesium3	12%	12.0 %
Moisture3	check	0.29 %
Total Neutralizing Power	100%	105.4 %



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Hanson Aggregates Peebles, OH 45660

Collected: 4/22/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		50	%
#20 US Sieve		78	%
#60 US Sieve		61	%
#8 US Sieve		99	%
Calcium3	20%	20.0	%
ENP	1450 lb/ton	1361	lb/ton
Magnesium3	12%	12.1	%
Moisture3	check	10.20	%
Total Neutralizing Power	100%	100.5	%

Site: Hanson Aggregates Sylvania, OH 43560

Collected: 4/13/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		94	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	21%	24.9	%
ENP	1826 lb/ton	1863	lb/ton
Magnesium3	10%	12.0	%
Moisture3		12.86	%
Total Neutralizing Power	92%	106.9	%

Site: Hanson Aggregates Paulding, OH 45879

Collected: 5/4/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		18	%
#20 US Sieve		60	%
#60 US Sieve		33	%
#8 US Sieve		84	%
Calcium3	18%	25.9	%
ENP	775.2 lb/ton	890	lb/ton
Magnesium3	6%	5.74	%
Moisture3		4.53	%
Total Neutralizing Power	85%	86.3	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Hanson Aggregates Eagle Winchester, OH 45697

Collected: 4/1/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		38	%
#20 US Sieve		69	%
#60 US Sieve		45	%
#8 US Sieve		98	%
Calcium3	31%	30.4	%
ENP	1085 lb/ton	1085	lb/ton
Magnesium3	1%	4.37	%
Moisture3		4.04	%
Total Neutralizing Power	85%	86.7	%

Site: Huron Lime Div Mississippi Huron, OH 44839

Collected: 4/15/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		92	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	34%	33.9	%
ENP	1004 lb/ton	904	lb/ton
Magnesium3	1%	0.99	%
Moisture3		51.35	%
Total Neutralizing Power	94%	93.7	%

Site: Martin Marietta Magnesia Woodville, OH 43469

Collected: 4/16/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		69	%
#60 US Sieve		53	%
#8 US Sieve		89	%
Calcium3	22%	22.0	%
ENP	1250 lb/ton	1289	lb/ton
Magnesium3	13%	14.1	%
Moisture3		7.81	%
Total Neutralizing Power	105%	105.0	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Melvin Stone Co.

Wilmington, OH 45177

Collected: 4/30/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		49	%
#20 US Sieve		78	%
#60 US Sieve		56	%
#8 US Sieve		98	%
Calcium3	21%	21.9	%
ENP	1450 lb/ton	1467	lb/ton
Magnesium3	12%	13.5	%
Moisture3		2.92	%
Total Neutralizing Power	103%	103.2	%

Site: MGQ Companies

Old Fort, OH 44861

Collected: 4/29/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		45	%
#20 US Sieve		91	%
#60 US Sieve		65	%
#8 US Sieve		100	%
Calcium3	21%	22.5	%
ENP	1400 lb/ton	1732	lb/ton
Magnesium3	12%	14.0	%
Moisture3		1.80	%
Total Neutralizing Power	109%	107.0	%

Site: National Lime & Stone Co. Delaware, OH 43015

Collected: 4/1/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		43	%
#20 US Sieve		78	%
#60 US Sieve		53	%
#8 US Sieve		95	%
Calcium3	29.98%	26.5	%
ENP	1437 lb/ton	1341	lb/ton
Magnesium3	6.79%	6.35	%
Moisture3		8.35	%
Total Neutralizing Power	96.2%	102.5	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: National Lime & Stone Co. Marion, OH 43302

Collected: 4/13/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		45	%
#20 US Sieve		81	%
#60 US Sieve		57	%
#8 US Sieve		100	%
Calcium3	24%	26.3	%
ENP	1260 lb/ton	1379	lb/ton
Magnesium3	6%	6.23	%
Moisture3		8.24	%
Total Neutralizing Power	94%	99.9	%

Site: National Lime & Stone Co. Marion, OH 43302

Collected: 4/13/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		39	%
#20 US Sieve		86	%
#60 US Sieve		54	%
#8 US Sieve		100	%
Calcium3	24%	22.5	%
ENP	1260 lb/ton	1396	lb/ton
Magnesium3	6%	7.58	%
Moisture3		4.24	%
Total Neutralizing Power	95%	95.9	%

Site: National Lime & Stone Co. Bucyrus, OH 44820

Collected: 4/13/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		57	%
#20 US Sieve		90	%
#60 US Sieve		73	%
#8 US Sieve		97	%
Calcium3	30%	28.4	%
ENP	1355 lb/ton	1638	lb/ton
Magnesium3	4%	8.17	%
Moisture3		4.46	%
Total Neutralizing Power	97%	101.3	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 4/14/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		54	%
#20 US Sieve		91	%
#60 US Sieve		68	%
#8 US Sieve		99	%
Calcium3	21%	22.1	%
ENP	1465 lb/ton	1656	lb/ton
Magnesium3	12%	13.7	%
Moisture3		6.34	%
Total Neutralizing Power	105%	106.0	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 4/14/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		N/A	%
#20 US Sieve		N/A	%
#60 US Sieve		N/A	%
#8 US Sieve		N/A	%
Calcium3	12%	14.9	%
ENP	1200 lb/ton	1596	lb/ton
Magnesium3	7%	8.54	%
Moisture3		0.00	%
Total Neutralizing Power	60%	79.8	%

Site: National Lime & Stone Co. Carey, OH 43316

Collected: 4/14/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		N/A	%
#20 US Sieve		N/A	%
#60 US Sieve		N/A	%
#8 US Sieve		N/A	%
Calcium3	12%	17.7	%
ENP	1200 lb/ton	1716	lb/ton
Magnesium3	7%	10.4	%
Moisture3		0.43	%
Total Neutralizing Power	60%	85.8	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: National Lime & Stone Co. Upper Sandusky, OH 43351

Collected: 4/24/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		91	%
#20 US Sieve		100	%
#60 US Sieve		98	%
#8 US Sieve		100	%
Calcium3	21%	22.7	%
ENP	2060 lb/ton	2058	lb/ton
Magnesium3	12%	13.7	%
Moisture3		0.36	%
Total Neutralizing Power	105%	104.1	%

Site: National Lime & Stone Co. Lima, OH 45802

Collected: 4/30/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		64	%
#20 US Sieve		92	%
#60 US Sieve		71	%
#8 US Sieve		98	%
Calcium3	20%	21.0	%
ENP	1735 lb/ton	1749	lb/ton
Magnesium3	10%	13.0	%
Moisture3		7.18	%
Total Neutralizing Power	111.8%	111.1	%

Site: Newark Water Treatment Newark, OH 43055

Collected: 1/12/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
Calcium3		32.6	%
ENP		1047	lb/ton
Magnesium3		1.87	%
Moisture3		41.09	%
Total Neutralizing Power		88.9	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Ohio Asphaltic Limestone Hillsboro, OH 45133

Collected: 4/22/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		43	%
#20 US Sieve		77	%
#60 US Sieve		54	%
#8 US Sieve		99	%
Calcium3	20%	19.9	%
ENP	1439 lb/ton	1306	lb/ton
Magnesium3	11%	11.8	%
Moisture3	check	10.48	%
Total Neutralizing Power	100%	101.0	%

Site: Piqua Mineral Piqua, OH 45356

Collected: 5/5/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		59	%
#20 US Sieve		94	%
#60 US Sieve		70	%
#8 US Sieve		100	%
Calcium3	34%	34.4	%
ENP	1487 lb/ton	1651	lb/ton
Magnesium3	2%	3.68	%
Moisture3		2.47	%
Total Neutralizing Power	98%	98.9	%

Site: Piqua Mineral Piqua, OH 45356

Collected: 5/5/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		90	%
#20 US Sieve		100	%
#60 US Sieve		100	%
#8 US Sieve		100	%
Calcium3	34%	34.9	%
ENP	1735 lb/ton	2016	lb/ton
Magnesium3	3%	3.89	%
Moisture3		0.00	%
Total Neutralizing Power	100%	100.8	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Sandusky Crushed Stone Castalia, OH 44824

Collected: 4/15/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		30	%
#20 US Sieve		56	%
#60 US Sieve		38	%
#8 US Sieve		97	%
Calcium3	27%	31.3	%
ENP	1150 lb/ton	1198	lb/ton
Magnesium3	6%	5.24	%
Moisture3		3.34	%
Total Neutralizing Power	95%	108.7	%

Site: Shelly Materials, Inc. West Manfield, OH 43358

Collected: 4/1/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		18	%
#20 US Sieve		35	%
#60 US Sieve		21	%
#8 US Sieve		67	%
Calcium3	20%	19.8	%
ENP	1150 lb/ton	662	lb/ton
Magnesium3		11.4	%
Moisture3	10%	6.16	%
Total Neutralizing Power	98%	98.6	%

Site: Shelly Materials, Inc. Ostrander, OH 43061

Collected: 4/1/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		35	%
#20 US Sieve		65	%
#60 US Sieve		42	%
#8 US Sieve		96	%
Calcium3	28%	29.0	%
ENP	1300 lb/ton	1214	lb/ton
Magnesium3	3%	5.46	%
Moisture3		4.00	%
Total Neutralizing Power	95%	102.0	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Shelly Materials, Inc. Forest, OH 45843

Collected: 4/30/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		40	%
#20 US Sieve		68	%
#60 US Sieve		51	%
#8 US Sieve		97	%
Calcium3	21%	22.3	%
ENP	1100 lb/ton	1303	lb/ton
Magnesium3	10%	13.7	%
Moisture3		7.51	%
Total Neutralizing Power	1000%	105.1	%

Site: Shelly Materials, Inc. East Fultonham, OH 43735

Collected: 5/28/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		44	%
#20 US Sieve		81	%
#60 US Sieve		54	%
#8 US Sieve		94	%
Calcium3	28%	28.8	%
ENP	1200 lb/ton	1268	lb/ton
Magnesium3	3%	5.07	%
Moisture3		3.86	%
Total Neutralizing Power	90%	90.6	%

Site: Stone Co. Oakwood, OH 45873

Collected: 5/4/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		17	%
#20 US Sieve		52	%
#60 US Sieve		37	%
#8 US Sieve		84	%
Calcium3	28%	29.0	%
ENP	970 lb/ton	1050	lb/ton
Magnesium3	7%	8.35	%
Moisture3		4.15	%
Total Neutralizing Power	100%	104.5	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Stoneco

Collected: 5/5/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		18	%
#20 US Sieve		67	%
#60 US Sieve		30	%
#8 US Sieve		91	%
Calcium3	20%	23.4	%
ENP	1050 lb/ton	1192	lb/ton
Magnesium3	12%	12.6	%
Moisture3		3.17	%
Total Neutralizing Power	103%	108.0	%

Site: Stoneco

Portage, OH 43451

Collected: 5/11/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		84	%
#20 US Sieve		94	%
#60 US Sieve		91	%
#8 US Sieve		97	%
Calcium3	19%	19.6	%
ENP	1550 lb/ton	1761	lb/ton
Magnesium3	11%	12.0	%
Moisture3		11.13	%
Total Neutralizing Power	102%	106.1	%

Site: Stoneco Cardinal Aggregat Perrysburg, OH 43551

Collected: 5/11/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		79	%
#20 US Sieve		88	%
#60 US Sieve		84	%
#8 US Sieve		94	%
Calcium3	20%	20.1	%
ENP	1580 lb/ton	1701	lb/ton
Magnesium3	11%	12.5	%
Moisture3		10.04	%
Total Neutralizing Power	101%	107.9	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: Stoneco Shelly Materials Carey, OH 43316

Collected: 4/14/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		64	%
#20 US Sieve		84	%
#60 US Sieve		73	%
#8 US Sieve		97	%
Calcium3	21%	20.0	%
ENP	1400 lb/ton	1586	lb/ton
Magnesium3	12%	12.0	%
Moisture3		8.29	%
Total Neutralizing Power	105%	105.2	%

Site: Systech Environmental Cor Paulding, OH 45819

Collected: 7/20/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		70	%
#20 US Sieve		84	%
#60 US Sieve		74	%
#8 US Sieve		94	%
Calcium3	21%	26.1	%
ENP	908 lb/ton	827	lb/ton
Magnesium3	0.69%	0.88	%
Moisture3		26.10	%
Total Neutralizing Power		68.2	%

Site: The Andersons Mineral Pr Carey, OH 43316

Collected: 4/14/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		N/A	%
#20 US Sieve		N/A	%
#60 US Sieve		N/A	%
#8 US Sieve		N/A	%
Calcium3	20%	21.6	%
ENP	1900 lb/ton	2012	lb/ton
Magnesium3	12%	13.4	%
Moisture3		0.00	%
Total Neutralizing Power	97%	100.6	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: The Olen Corporation Columbus, OH 43207

Collected: 4/14/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		81	%
#20 US Sieve		98	%
#60 US Sieve		93	%
#8 US Sieve		99	%
Calcium3		30.1	%
ENP		1751	lb/ton
Magnesium3		4.42	%
Moisture3		9.01	%
Total Neutralizing Power		100.0	%

Site: The Olen Corporation Columbus, OH 43207

Collected: 4/24/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		21	%
#20 US Sieve		57	%
#60 US Sieve		30	%
#8 US Sieve		84	%
Calcium3	20.8%	21.0	%
ENP	916 lb/ton	991	lb/ton
Magnesium3	12.1%	13.0	%
Moisture3		4.38	%
Total Neutralizing Power	100.6%	100.4	%

Site: The Olen Corporation Upper Sandusky, OH 43351

Collected: 4/24/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		17	%
#20 US Sieve		54	%
#60 US Sieve		28	%
#8 US Sieve		90	%
Calcium3	19.5%	21.0	%
ENP	907 lb/ton	972	lb/ton
Magnesium3	11.0%	11.9	%
Moisture3		6.27	%
Total Neutralizing Power	93.9%	102.1	%



Consumer Protection Laboratory

Ohio Department of Agriculture
Consumer Protection Laboratory
8995 East Main St. Bldg 3
Reynoldsburg, OH 43068
Phone: (614) 728-6230

ODA Plant Industry/Fertilizer-Lime APPROVED RESULTS sorted by Site LIME SAMPLES COLLECTED 1/1/2015 - 10/29/2015

Site: White Rock Quarry Stonec Clay Center, OH 43408

Collected: 4/21/2015

<u>Test</u>	<u>Claim</u>	<u>Result</u>	<u>Units</u>
#100 US Sieve		87	%
#20 US Sieve		92	%
#60 US Sieve		89	%
#8 US Sieve		97	%
Calcium ₃	20%	18.4	%
ENP	1600 lb/ton	1755	lb/ton
Magnesium ₃	10%	11.1	%
Moisture ₃		10.84	%
Total Neutralizing Power	102%	107.2	%
